

# INDEX MAPS.

**T.6N—R.3W—2<sup>nd</sup> Mer.**

|     | 329     |     | 329     |     | 329     |     | 328     |     | 328     |     | 328 |     |
|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|-----|-----|
| 331 | 6       | 351 | 5       | 351 | 4       | 351 | 3       | 351 | 2       | 352 | 1   | 327 |
|     | 349-    |     | 349     |     | 345     |     | 342     |     | 340     |     | 335 |     |
| 331 | 7       | 348 | 8       | 345 | 9       | 341 | 10      | 340 | 11      | 334 | 12  | 327 |
|     | 349     |     | 348     |     | 344     |     | 341     |     | 340     |     | 334 |     |
| 331 | 18      | 348 | 17      | 344 | 16      | 341 | 15      | 339 | 14      | 334 | 13  | 327 |
|     | 350     |     | 347     |     | 344     |     | 339     |     | 337     |     | 333 |     |
| 330 | 19      | 347 | 20      | 343 | 21      | 339 | 22      | 337 | 23      | 333 | 24  | 326 |
|     | 350     |     | 346     |     | 343     |     | 338     |     | 336     |     | 333 |     |
| 331 | 30      | 346 | 29      | 343 | 28      | 338 | 27      | 336 | 26      | 332 | 25  | 326 |
|     | 350     |     | 346     |     | 342     |     | 338     |     | 336     |     | 332 |     |
| 330 | 31      | 345 | 32      | 342 | 33      | 337 | 34      | 335 | 35      | 332 | 36  | 326 |
|     | 323-325 |     | 323-325 |     | 325-324 |     | 323-324 |     | 323-324 |     | 324 |     |

**T.7N—R.3W—2<sup>nd</sup> Mer.**

|     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|     | 361 |     | 360 |     | 360 |     | 359 |     | 359 |     | 359 |     |
| 362 | 6   | 381 | 5   | 378 | 4   | 374 | 3   | 370 | 2   | 367 | 1   | 358 |
|     | 381 |     | 381 |     | 377 |     | 374 |     | 370 |     | 366 |     |
| 362 | 7   | 381 | 8   | 377 | 9   | 373 | 10  | 370 | 11  | 366 | 12  | 358 |
|     | 382 |     | 380 |     | 377 |     | 373 |     | 369 |     | 365 |     |
| 362 | 18  | 380 | 17  | 376 | 16  | 373 | 15  | 369 | 14  | 365 | 13  | 358 |
|     | 382 |     | 380 |     | 376 |     | 372 |     | 368 |     | 365 |     |
| 361 | 19  | 379 | 20  | 376 | 21  | 372 | 22  | 368 | 23  | 364 | 24  | 357 |
|     | 382 |     | 379 |     | 375 |     | 372 |     | 368 |     | 364 |     |
| 361 | 30  | 379 | 29  | 375 | 28  | 371 | 27  | 368 | 26  | 364 | 25  | 357 |
|     | 383 |     | 378 |     | 375 |     | 371 |     | 367 |     | 363 |     |
| 361 | 31  | 378 | 32  | 374 | 33  | 371 | 34  | 367 | 35  | 363 | 36  | 357 |
|     | 356 |     | 356 |     | 356 |     | 355 |     | 355 |     | 355 |     |

(P The figures on the lines refer to the page.

Township No 7 North of Range No 3 West 2nd Mer. Ind. 355  
Ch. 1st.

### South Boundary

|       |   |
|-------|---|
| West  | On the South Boundary of sec. 36. T. N. 7. R. N. 3 W.   |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>W. Oak 8 in. diam. bears S 65 E. 8 links dist; and a<br>W. Oak. 20 " " N 45 W. 26 " "   |
| 50.00 | To a brook 100 links wide, Corner South   |
| 80.00 | Set a post for the cor. of sec. 35 & 36 from which a<br>Birch 12 in. diam. bears S 39 E. 9 links dist; and a<br>Syc. 12 " " " N 5 W. 37 " "<br>Withy from Oak Land.   |
| West  | On the South Boundary of sec. 35. T. N. 7. R. N. 3 W.   |
| 38.00 | To a Brook 6 links wide, Corner South   |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>Log made 4 in. diam. bears S 57 E. 14 links dist; & a<br>Birch 4 " " " N 81 W. 20 " "   |
| 80.00 | Set a post for the cor. of Sec 34 & 35 in a Spring run-<br>ning South. from which a<br>Birch 14 in. diam. bears S 50 E. 11 links dist; and a<br>Do. 9 " " " N 63 W. 20 " "<br>Land good & level; Timber Oak |
| West  | On the South Boundary of sec. 34 T. N. 7. R. N. 3 W.  |
| 15.00 | To a Brook 3 links wide, Corner South   |
| 20.00 | " " 10 " " " " S. E.  |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>W. Oak. 24 in. diam. bears N 53 W. 20 links dist; & a<br>W. Oak 18 " " " S 74 E. 43 " "   |
| 70.00 | To a Brook 3 links wide, Corner S.  |
| 80.00 | Set a post for the cor. of sec. 33 & 34 from which a<br>Hick. 18 in. diam. bears N 6 W. 13 links dist; & a<br>W. Oak 16 " " " N 73 E. 23 " "<br>Withy, Oak land.  |

T. N. 7. N. R. N. 3 M. 2nd Mer. Ind<sup>o</sup>

|       |  |
|-------|--|
| West  | On the South Boundary of sec. 33 T. N. 7. N. R. N. 3 M.  |
| 25.00 | To a Brook 3 miles wide, Corner N  |
| 28.75 | To a Poplar 36 in dia: stands in the line  |
| 40.00 | Set a post for the cor. of 1/4 sec. from which a<br>Kick 18 in dia: bears S 63 N. 9 miles due; to<br>Poplar 9 " " " N 77 E. 12 " "                           |
| 80.00 | Set a post for the cor. of sec. 32 & 33 from which a<br>Kick 10 in dia: bears N 46 E 16 miles due; to<br>Oak 12 " " " S 30 E. 20 " "<br>Poor hilly Oak lands |

|       |  |
|-------|--|
| West  | On the South Boundary of sec. 32 T. N. 7. N. R. N. 3 M.  |
| 34.00 | To a Oak 24 in dia: stands in the line.  |
| 40.00 | Set a post for the cor. of 1/4 sec. from which an<br>Ash 6 in dia: bears S 57 N. 4 miles due; and an<br>Oak 7 " " " N 62 E 17. " "             |
| 80.00 | Traverse cor. of sec. 31 & 32 from which a<br>Sugar 19 in dia: bears S 49 N. 40 miles due; to<br>Oak 9 " " " N 23 E. 38 " "<br>Wood Oak lands. |

April 8th 1811

|       |  |
|-------|--|
| West  | On the South Boundary of sec. 31 T. N. 7. N. R. N. 3 M.  |
| 0.10  | To a Brook 6 miles wide, Corner S. N.  |
| 35.00 | " " Oak 4 " " " West   |
| 40.00 | Set a post for the cor. of 1/4 sec. from which a<br>Oak 24 in dia: bears S 29 N. 8 miles due; and an<br>Sugar 9 " " " N 23 E. 32 " " |
| 44.00 | To a Brook 25 miles wide, Corner S. N.   |
| 48.00 | To S. Oak 25 " " " S. N.   |
| 53.00 | " " Oak 25 " " " S. N.   |
| 60.00 | " " Oak 25 " " " S. N.   |
| 68.00 | " " Oak 25 " " " S. N.   |

T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. (Sud.<sup>n</sup>)

|               |   |
|---------------|---|
| 80.00         | Set a timber post for the cor. of Sect. 6 & 7. N <sup>o</sup> 7. 3 & 4 N. and went in search of the Range line and could not find it.   |
| East Boundary |   |
| North         | On the East Boundary of sec. 36. T. N <sup>o</sup> 7. N. R. N <sup>o</sup> 37.  |
| 35.50         | To a Poplar 36 in dia. stands in the line   |
| 40.00         | Set a post for the cor. of 1/4 sec. from which a<br>Y. Beech 8 in dia. bears S 42 N. 12 1/2 miles dist; and as<br>Sugar 8 " " " N 27 N. 16 " "  |
| 49.50         | To a Brook. 10 miles wide, Comes W.   |
| 80.00         | Set a post for the cor. of sec. 25. & 36. from which a<br>Y. Beech 16 in dia. bears N 71 N. 12 1/2 miles dist; & a<br>W. Oak 30 " " " N 80 E. 10 " "<br>Holly Oak, Sander;            |
| North         | On the East Boundary of sec. 25. T. N <sup>o</sup> 7. N. R. N <sup>o</sup> 37.  |
| 22.00         | To a Brook 75 miles wide, Comes S N.  |
| 40.00         | Set a post for the cor. of 1/4 sec. from which a<br>Beech 24 in dia. bears S 33 E. 20 miles dist; & a<br>Ho. 14 " " " S 83 N. 23 " "  |
| 80.00         | Set a post for the cor. of sec. 24 & 25 from which a<br>Beech 18 in. dia. bears S 56 E. 12 1/2 miles dist; & a<br>Sawwood Oak " " " N 75 N. 14 " "<br>Goodlands; Timber Sugar Oak, &c |
| North         | On the East Boundary of sec. 24. T. N <sup>o</sup> 7. N. R. N <sup>o</sup> 37.  |
| 38.00         | To a Brook. 3 miles wide, Comes S.E.  |
| 40.00         | Set a post for the cor. of 1/4 sec. from which a<br>Sugar 5 in. dia. bears S 30 E. 25 miles dist; & a<br>Ho. 6 " " " N 12 N. 15 " "   |
| 56.00         | To a Brook. 3 miles wide, Comes W.  |
| 76.00         | " " Ho. 5 " " " " N.  |



T. N. 7. N. R. N. 3 N. 2<sup>nd</sup> Mer. Sud.

|       |  |
|-------|--|
| 80.00 | Set a post for the cor. of sec. 13. & 24 from which<br>W. Oak 30 in. diam. bears S 48 N. 12 miles due; & S<br>Buck 8 " " N 56 E. 8 " "<br>Lands 1 <sup>st</sup> for goods timber Buck, Sugar Oak.<br>" 2 <sup>nd</sup> for Land. |
| North | On the East Boundary of sec. 13. T. N. 7. N. R. N. 3 N.  |
| 15.00 | To a Brook 10 miles wide, Course N   |
| 17.00 | " " Sugar 10 in. diam. stands in the line  |
| 40.00 | Set a post for the cor. of 1/4 sec. from which<br>Buck 16 in. diam. bears N 12 E. 9 miles due; & S<br>W. Oak 15 " " S 12 E. 31 " "   |
| 80.00 | Set a post for the cor. of sec. 12 & 13 from which<br>W. Oak 10 in. diam. bears S 36 E. 17 miles due; & S<br>Sugar 12 " " N 32 W. 17 " "<br>Lands timber Sugar, Buck, Oak, & S   |
| North | On the East Boundary of sec. 22. T. N. 7. N. R. N. 3 N.  |
| 25.00 | To a Brook. 50 miles wide, Course S. N.  |
| 40.00 | Set a post for the cor. of 1/4 sec. from which<br>Buck 15 in. diam. bears N 69 E. 12 miles due; & S<br>Sugar 14 " " S 77 N. 24 " "   |
| 46.00 | To a Brook 10 miles wide, Course E.  |
| 80.00 | Set a post for the cor. of sec. 1 & 12 from which<br>Sugar 6 in. diam. bears S 58 N. 19 miles due; & S<br>Oak 14 " " N 80 E. 31 " "<br>Lands & timber same as last mile.   |
| North | On the East Boundary of sec. 1. T. N. 7. N. R. N. 3 N.   |
| 6.00  | To a Spring Course East  |
| 9.00  | To a Brook. 50 miles wide, Course S. E.  |
| 40.00 | Set a post for the cor. of 1/4 sec. from which<br>Buck 12 in. diam. bears S 83 N. 3 miles due; & S   |

T. N. of N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>co</sup>

|                |  |
|----------------|--|
| 50.00          | Poplar 18 mi dist: bears N 83 E. 27 mi dist; to<br>To a Brook 6 mi dist, Course East   |
| 78.50          | Into section the Township. Line 13.50 East of the township<br>under a post for the cor. of T. 9 6. 17 N. R. 283 W. from<br>which a Dogwood 6 mi dist: bears S 5 E. 17 mi dist; to<br>under a Maple. 18 " " " N 39 E 31 " "<br>Good land, Timber Sugar Beech, Oak, etc. |
| April 9. 1844. |  |
| West           | From the cor. of Towns 7 & 8 N. R. 283 W. On the South Boundary<br>any of sec. 36. T. N. 8. N. R. N. 3 W.  |
| 25.00          | To a Brook. — 1/2 mi dist, Course N. E.  |
| 40.00          | Set a post for the cor. of 1/4 sec. from which a<br>Sugar 18 mi dist: bears S 74 E. 25 mi dist; and a<br>Buck 18 " " " S 70 W. 14 " "  |
| 80.00          | Set a post for the cor. of sec. 35. 136 from which a<br>Sugar 14 mi dist: bears N 13 W. 20 mi dist; and a<br>Buck 24 " " " S 10 E. 27 " "<br>Good Oak Land.  |
| West           | On the South Boundary of sec. 35 T. N. 8. N. R. N. 3 W.  |
| 10.00          | To a Brook 10 mi dist, Course S. W.  |
| 25.00          | " " " " " " " " " "  |
| 40.00          | Set a post for the cor. of 1/4 sec. from which a<br>Buck 15 mi dist: bears N 20 E. 20 mi dist; and<br>Do. 10 " " " S 26 W. 20 " "  |
| 48.00          | To a Brook 10 mi dist, Course S.   |
| 80.00          | Set a post for the cor. of sec. 34 & 35 from which a<br>Sugar 16 mi dist: bears S 6 W. 30 mi dist; and a<br>Poplar 14 " " " N 53 W. 29 " "<br>Land hilly and rich; Timber Oak, Sugar & Buck.   |
| West           | On the South Boundary of sec. 34. T. N. 8. N. R. N. 3 W.   |

T. N. 7. N. W. N. 3 W. 2<sup>nd</sup> Mer. Sec 2

|       |   |
|-------|---|
| 26.00 | To a Brook 5 miles midy, Course S.  |
| 32.50 | " " " 10 " " " S.   |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>Kick 10 in. air. bears S 87 $^{\circ}$ 7' 7" miles dist; and a<br>Buck 12 " " " N 16 $^{\circ}$ 13 " "                    |
| 60.00 | To a Brook 5 miles midy, Course S.  |
| 80.00 | Set a post for the cor. to sec. 33. & 34 from which a<br>Sugar. 10 in. air. bears S 44 $^{\circ}$ 17' 7" miles dist; & a<br>Gum 16 " " " S 56 $^{\circ}$ E. 27 " "<br>Heilly Oak. Land. |

|       |   |
|-------|---|
| West  | On the South Boundary of sec. 33. T. N. 8. N. R. N. 3 W.  |
| 3.00  | To a Brook. 4 miles midy, Course S. E.  |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>Kick 16 in. air. bears S 60 $^{\circ}$ 17' 18" miles dist; & a<br>Buck 16 " " " N 7 $^{\circ}$ E. 20 " "                |
| 62.00 | To a Brook 5 miles midy, Course South.  |
| 65.00 | " " " 3 " " " S. E.   |
| 80.00 | Set a post for the cor. of sec. 32. & 33. from which a<br>Buck 15 in. air. bears S 57 $^{\circ}$ E. 23 miles dist; & a<br>L. 24 " " " N 72 $^{\circ}$ 17' 28 " "<br>Heilly Oak. Land. |

|       |   |
|-------|---|
| West  | On the South Boundary of sec. 33. T. N. 8. N. R. N. 3 W.  |
| 24.00 | To a Brook 3 miles midy, Course S.  |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>Sugar. 6 in. air. bears N 28 $^{\circ}$ 17' 17" miles dist; & a<br>Gum 16 " " " S 64 $^{\circ}$ E. 31 " "             |
| 75.00 | To a Spring Course S.   |
| 80.00 | Set a post for the cor. of sec. 31. & 32 from which a<br>Buck 10 in. air. bears N 74 $^{\circ}$ 17' 8" miles dist; & a<br>L. 10 " " " N 83 $^{\circ}$ E. 23 " "<br>Heilly Oak Land. |



361

T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sud<sup>y</sup>

West On the South Boundary of sec. 31. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck. 16 in air: bears N 14 W. 14 miles due; 1 a,  
 Oak. 16 " " " S 73 E. 31 " "  
 80.00 Set a timber post for the cor. of 7 & 8 N.R. 3 & 4  
 Good lands Timber Buck, Sugar & Poplar.

West Boundary

North On the East Boundary of sec. 36. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W.  
 11.50 To a Brook 15  $\frac{1}{2}$  miles, Corner W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak. 18 in air: bears S 70 E 7 miles due; 1 a,  
 Oak. 20 " " " S 70 W. 16 " "  
 51.00 To a Brook 25  $\frac{1}{2}$  miles, Corner W.  
 61.50 " " W. Oak. 20 in air: stands in the line  
 80.00 Set a post for the cor. of sec. 25 & 26 from which a  
 W. Oak. 12 in air: bears S 23 E. 41 miles due; 1 a,  
 W. Oak. 16 " " " N 67 W. 51 " "  
 Lands hilly and poor. Timber Oak, on the 1<sup>st</sup> p.; Hilly  
 poor & stony on the 2<sup>nd</sup> p. Timber Oak.

North On the East Boundary of sec. 25 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W.  
 20.00 To a Spring, Corner W.  
 29.50 To a W. Oak. 20 in air: stands in the line.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak. 16 in air: bears N 23 E. 15 miles due; 2 a,  
 W. Oak. 18 " " " S 30 E. 45 " "  
 80.00 Set a post for the cor. of sec. 24 & 25 from which a  
 Hick. 7 12 in air: bears N 57 E. 4 miles due; 2 a,  
 Poplar. 36 " " " S 10 E. 18 " "  
 Poor hilly stony W. Oak. Lands.

North On the East Boundary of sec. 24 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W.



T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3. W. 2<sup>nd</sup> Mer. Sec<sup>s</sup>

|       |  |
|-------|--|
| 15.00 | To a Brook 3 miles wide, Course N. W.  |
| 40.00 | Set a post for the cor. of 14 sec. from which a<br>W. Oak. 16 in. diam. bears S 50. W. 24 miles dist; to<br>Buck. 10 " " " N 21 E. 37 " "    |
| 47.00 | To a Brook 15 miles wide, Course W.  |
| 80.00 | Set a post for the cor. of Sec. 13. & 24 from which a<br>Hogwood 5 in. diam. bears N 18 W. 5 miles dist; to<br>Hogwood 4 " " " S 45 E. 8 " " |

|       |   |
|-------|---|
| North | On the East Boundary of Sec. 13. T. N <sup>o</sup> 7. N. R. N <sup>o</sup> 3. W.  |
| 10.00 | To a Brook 3 miles wide, Course W.  |
| 30.00 | " " " 3 " " " W.  |
| 40.00 | Set a post for the cor. of 14 sec. from which a<br>W. Oak. 30 in. diam. bears N 50 E. 23 miles dist; to<br>" " 16 " " " S 47 W. 30 " "  |
| 80.00 | Set a post for the cor. of Sec. <sup>12 &amp; 13</sup> from which a<br>W. Oak. 18 in. diam. bears N 15 W. 16 miles dist; to<br>W. Oak. 16 " " " S 17 E. 48 " "<br>Willow Oak, Sand. |

|       |  |
|-------|--|
| North | On the East Boundary of Sec. 12 T. N <sup>o</sup> 7. N. R. 4 W.  |
| 30.00 | To a Brook 50 the wide, Course W.  |
| 40.00 | Set a post for the cor. of 14 sec. from which a<br>Buck 16 in. diam. bears S 5 W. 33 miles dist; to<br>Buck 15 " " " N 38 W. 37 " "  |
| 42.00 | To a Brook 3 miles wide, Course S. W.  |
| 80.00 | Set a post for the cor. of Sec. 11 & 12 from which a<br>Sugar. 12 in. diam. bears N 81 E. 24 miles dist; to<br>W. Oak 18 " " " N 70 W. 26 " "<br>Sand & Willows; Limber Oak, Buck to |

|       |   |
|-------|---|
| North | On the East Boundary of Sec. 1. T. N <sup>o</sup> 7. N. R. 4 W. |
| 8.00  | To a Brook. 3 miles wide, Course West                           |

T. N. 7. N. R. N. 3 W. 2nd Mer. S. 1st.

- 12.00 To a Poplar 24 mi. dist. stands on the line  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Sugar. 16 mi. dist. bears S 22 E. 10 mi. dist; 1 a  
 Do. 15 " " " N 4 W. 18 " "  
 55.00 To a Birch 3 mi. dist. bears S 22 E. 10 mi. dist; 1 a  
 60.00 " " Do. 8 " " " S 11 W.  
 78.50 Set a post 1.25 mi. East of the first post, marked  
 for the cor. of T. N. 7. 8. N. R. 3. 4 W. from  
 which a Birch 24 mi. dist. bears S 76 W. 15 mi. dist;  
 and on Oak 24 " " S 78 E. 32 " "  
 Lands are hills; timber Sugar Birch & Poplar

Surveyed by  
 Alexander Wolmuth, Esq.

### Subdivisions

- North  
 1.00 To a Spring, Course East  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 B. Oak. 5 mi. dist. bears N 10 W. 10 mi. dist; 1 a  
 Logwood 4 " " S 67 E. 18 " "  
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36. from which a  
 Sugar. 12 mi. dist. bears N 62 E. 15 mi. dist; 1 a  
 Logwood 4 " " S 72 W. 18 " "  
 Lands are hilly; timber Oak, Hickory.

- East  
 33.00 To a Birch 75 mi. dist. bears S. E.  
 40.00 Set a temporary post for the cor. of 1/4 sec.  
 65.00 To a Birch 20 mi. dist. bears S. E.  
 80.00 Intersect the N. 3 line 8 miles South of the first cor.  
 of sec. 25 & 36  
 Lands are soil and timber same as last mile.

T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sec<sup>o</sup>

West On the true line between Sec. 25 & 36. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
 40.00 Set the temporary post at the corr. dist on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a  
 S. 81 E. 12 mi. dist. bears S 81 E. 19 lbs. dist; & a  
 Elm 30 " " " N 32 W. 34 " "  
 80.00 To the post cor. of Sec. 25, 26, 35 & 36.

---

North Return Sec. 25 & 26. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Gum 20 mi. dist. bears South 24 lbs. dist; & a  
 Syc. 10 " " " S 32 E. 28 " "  
 80.00 Set a post for the cor. of Sec. 23, 24, 25, & 26 from which  
 a Buck. 5 mi. dist. bears N 5 E 10 lbs. dist; & a  
 W. 25 " " " S 55 W. 10 " "  
 Sand & soil and timber same as last mile.

---

East On a random line between Sec. 24 & 25 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
 28.00 To a Brook 50 links wide, Corner S. W.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 80.00 Then set the N 8 S line. 12 lbs. South of the post  
 cor. of Sec. 24 & 25  
 Sand & soil & timber same as last mile.

---

West On the true line between Sec. 24 & 25. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
 40.00 Set the temporary post at the corr. dist on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a  
 Syc. 15 mi. dist. bears S 70 E. 35 lbs. dist; & a  
 W. Walnut 15 " " " N 87 W. 20 " "  
 80.00 To the post cor. of Sec. 23, 24, 25 & 26.

---

North Return Sec. 23 & 24 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
 12.50 To a Brook. 50 links wide, Corner S. E.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a



T. N. 14. N. R. N. 37. 2<sup>nd</sup> Mer. Sud

Maple 10 in dia: bears N46 W. 8 lbs ash; 8 g  
 Ironwood 5 " " " S29 N. 23 " "  
 67.50 To a Brook. 50 lbs side, Comes S. W.  
 80.00 Set a post for the cor. of sec. 13, 14, 23, & 24 from which a  
 W Oak. 12 in dia: bears S74 E. 15 lbs ash; 10 g  
 L. 12 " " " N70 W. 16 " "  
 Sand soil and timber same as last mile.

East On a Random line between Sec. 13 & 24 T. N. 7. N. R. 37.  
 1.00 To a Brook. 50 lbs side, Comes S.  
 40.00 Set a temp<sup>y</sup> post for the cor. of 74 sec.  
 65.50 To a Spring Comes South.  
 79.44 Enter into the N & S line 50 lbs South of the post  
 cor of sec 13 & 24 Sand soil and timber same  
 as last mile

West On the same line between Sec. 13 & 24 T. N. 7. N. R. N. 37.  
 39.70 Set the temp<sup>y</sup> post at the av. ash on the same line  
 for the cor. of 74 sec. from which a  
 Maple 8 in dia: bears S31 W. 13 lbs ash; 8 g  
 W Oak. 15 " " " N9 W. 16 " "  
 49.44 To the post cor. of sec. 13, 14, 23 & 24

North Return Sec. 13 & 14 T. N. 7. N. R. N. 37.  
 40.00 Set a post for the cor. of 74 sec. from which a  
 W Oak. 4 in dia: bears S9 E. 17 lbs ash; 8 g  
 W. Walnut 8 " " " N43 W. 10 " "  
 80.00 Set a post for the cor. of sec. 11, 12, 13, & 14 from which a  
 Birch 14 in dia: bears S1 E. 34 lbs ash; 8 g  
 W Oak. 14 " " " East. 22 " "  
 Sand soil and timber same as last mile.

East On a Random line between Sec. 12 & 13. T. N. 7. N. R. 37.

T. N<sup>o</sup> 7 N.R. N. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 35.50 To a Brook 50 lbs. wide, Course S.  
 40.00 Set a temp<sup>y</sup> post for the cor. of 14 sec.  
 79.50 Intersect the N. 5 line 25 lbs. South of the post  
 cor. of sec. 12 & 13.  
 Sande soil and timber Same as last mile.

- West On the true line between Sec. 12 & 13, T. N<sup>o</sup> 7 N.R. N. 3 W.  
 39.75 Set the temp<sup>y</sup> post at the cor. dist. in the true line  
 for the cor. to 1/4 sec. from which  
 Sugar 14 in. dia. bears South 1 lb. dist;  
 79.50 To the post cor. of sec. 11, 12, 13, & 14

- North Between Sec. 11 & 12 T. N<sup>o</sup> 7 N.R. N. 3 W.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Buck. 15 in. dia. bears S 46 W. 23 lbs. dist; & a  
 Hoop pole 3 " " N 5 E. 13 " "  
 80.00 Set a post for the cor. of sec. 1, 2, 11, & 12 from which a  
 Hick. 8 in. dia. bears N 23 W. 7 lbs. dist; & a  
 Ho. 15 " " S. 40 E. 12 " "  
 Sande soil and timber Same as last mile.

- East On a true line between Sec. 1 & 12 T. N<sup>o</sup> 7 N.R. N. 3 W.  
 40.00 Set a temp<sup>y</sup> post at cor. of 1/4 sec.  
 79.78 Intersect the N. 5 line 21 miles S. of the post cor. of  
 Sec. 1 & 12. Sande soil and timber Same as last mile.

- West On the true line between Sec. 1 & 12 T. N<sup>o</sup> 7 N.R. N. 3 W.  
 39.89 Set the temp<sup>y</sup> post at the cor. dist. in the true line  
 for the cor. to 1/4 sec. from which a  
 Buck 10 in. dia. bears N 3 W. 9 lbs. dist; & a  
 Ho. 3 " " " S 21 E. 11 " "  
 79.78 To the post cor. of sec. 1, 2, 11, & 12

367

T. N. 7. N. R. N. 37. 2nd Mer. Ind. 2,

North Between Sec. 1 & 2 T. N. 7. N. R. N. 37.  
 34.00 To a Spring Corner S. W.  
 40.00 Set a post for the cor of 1/4 sec. from which a  
 W. Bch. 20 in. dist. bears N 37 E. 29 lbs dist; & a  
 Sugar. 15 " " " S 19 N. 20 " "  
 80.00 Intersect the N. Boundary. 108 links East of the post  
 cr. of sec. 35 & 36 T. N. 8. N. R. N. 37. ) & set a  
 post for the cor. of sec. 1 & 2 from which a  
 Sugar. 12 in. dist. bears N 6 E. 18 lbs dist; & a  
 Dogwood 4 " " " S 58 N. 21 " "  
 Sand & soil and timber same as last mile.

North Between Sec. 34 & 35 T. N. 7. N. R. N. 37.  
 40.00 Set a post for the cor of 1/4 sec. from which a  
 W. Bch. 7 in. dist. bears S 47 N. 13 lbs dist; & a  
 Oak 12 " " " S 73 E. 26 " "  
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which  
 a W. Oak 8 in. dist. bears S 62 E. 15 links dist; & a  
 W. Oak 12 " " " N 76 N. 31 " "  
 Sand & hilly timber Oak & Hickory

East On a Random line between Sec. 26 & 35 T. N. 7. N. R. N. 37.  
 40.00 Set a temporary post for the cor. of 1/4 sec.  
 80.00 Intersect the N. S. line 18 lbs. North of the post cr. of  
 Sec. 25, 26, 35 & 36  
 Sand & soil and timber same as last mile.

West On the true line between Sec. 26 & 35 T. N. 7. N. R. N. 37.  
 40.00 Set the temporary post at the corner dist; on the true line  
 for the cor of 1/4 sec. from which a  
 W. Oak. 12 in. dist. bears N 54 E. 27 lbs dist; & a  
 Oak 10 " " " S 32 N. 37 " "  
 80.00 To the post cr. of sec. 26, 27, 34 & 35.



*D. N. 7. N. R. N. 3. W. 2nd Mer. (Ind.)*

North Return Sec. 26, 127. T. N. 7. N. R. N. 3 W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Gum 8 in dia. bears S 8 E. 40 links due; & a  
 Dogwood 8, " " S 52 E. 11, "

80.00 Set a post for the cor. of Sec. 22, 23, 24, & 27 from which  
 W. Oak 18 in dia. bears S 28 E. 30 links due; & a  
 Hick 7 9, " " N 25 W. 9, "

Same soil & timber same as last mile.

East On a Random line between Sec. 23 & 24. T. N. 7. N. R. 3 W.

18.00 To a Brook 6 links wide, Corner S.

40.00 Set a trap. post at the corner of  $\frac{1}{4}$  sec.

45.00 To the above brook 6 links wide, Corner N.E.

80.85 Enter sec. the N.E. line at the post cor. of Sec. 23, 24,  
 25 & 26 Same soil & timber same as last mile.

West On the true line between Sec. 23 & 24. T. N. 7. N. R. 3 W.

42.42 1/2 Set the trap. post at the cor. due on the true line  
 for the cor. to  $\frac{1}{4}$  sec. A Hick 7 1/2 in dia. stands for  
 the cor. to  $\frac{1}{4}$  sec.

80.85 To the post cor. of Sec. 22, 23, 24, 27.

North Return Sec. 22, & 23. T. N. 7. N. R. N. 3 W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 10 in dia. bears S E. 8 links due; & a  
 Hick 10, " " South 6, "

75.00 To a Spring, Corner N.E.

80.00 Set a post for the cor. of Sec. 14, 15, 22, & 23. From which a  
 Birch 24 in dia. bears N 66 W. 18 links due; & a

La. T " " " S 9 E. 24, "

Same soil and timber same as last mile.

East On a Random line between Sec. 14 & 23. T. N. 7. N. R. 3 W.

T. N. 7. N. R. N. 37. 2<sup>nd</sup> Mer. Ind.

- 40.00 Set a temp. post for the cor. of 7/4 sec.  
 43.00 To a Brook - 1/2 mile, Corner S.E.  
 80.10 Enter the N.S. line, 12 links South of the post cor.  
 Sec. 13, 14, 23, 24  
 Sand soil and timber same as last mile.

- West On the true line between Sec. 14 & 23, T. N. 7. N. R. N. 37.  
 45.55 Set the temp. post at the av. dist. on the true line for  
 the cor. of 7/4 sec. From which a  
 Buck 7 in dist. bears N 24 N. 5 the dist; 1 a  
 Gum 5 " " N 36 E. 4 " "  
 80.10 To the post cor. of sec. 14, 15, 22 & 23.

- North Between Sec. 14 & 15, T. N. 7. N. R. N. 37.  
 40.50 Set a post for the cor. of 7/4 sec. From which a  
 W. Oak 10 in dist. bears S 53 W. 20 the dist; 1 a  
 Hick 10 " " N 76 W. 24 " "  
 57.00 To a B. Oak 20 in dist. stands in the line.  
 80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which a  
 W. Oak 20 in dist. bears S 13 W. 15 the dist; 1 a  
 Do. 10 " " N 11 W. 28 " "  
 Sand soil and timber same as last mile.

- East On a Random line between Sec. 11 & 14 T. N. 7. N. R. N. 37.  
 40.00 Set a temp. post for the cor. of 7/4 sec. From  
 79.45 Enter the N.S. line at the post cor. of sec. 11, 12, 13 &  
 14. Sand soil and timber same as last mile.

- West On the true line between Sec. 11 & 14 T. N. 7. N. R. N. 37.  
 39.72 Set the temp. post at the av. dist. on the true line  
 for the cor. of 7/4 sec. From which a  
 Buck 20 in dist. bears N 86 E 10 the dist; 1 a  
 Hackberry 5 " " N 62 W. 20 " "

T. N. 7. N. R. N. 37. 2<sup>nd</sup>. Mer. (Sec. 2)

79.45 To the post cor. of sec. 10. 11. 14. & 15.

North Between Sec. 10 & 11 T. N. 7. N. R. N. 37.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Sassafras 8 in. diam. bears S 15 E. 9 lbs dist; & a  
Oak 8 " " " N 27 W 17 " "

80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which a  
W. Oak 10 in diam. bears N 77 W. 20 lbs dist; & a  
Oak 17 " " " N 4 E. 7 " "  
Sound soil and timber same as last mile.

East On a Random line between Sec. 2 & 11 T. N. 7. N. R. N. 37.

40.00 Set a timber post for the cor. of 1/4 sec. from which

79.00 Enter sec. the N. & S line 95 lbs South of the post  
cor. of sec. 1. 2. 11. & 13  
Sound soil and timber same as last mile.

West On the true line between Sec. 2 & 11 T. N. 7. N. R. N. 37.

39.50 Set the timber post at the above dist. on the true line  
for the cor. to 1/4 sec. from which a

Y. Beech 12 in diam. bears N 12 W. 5 lbs dist; & a  
Oak 10 " " " N 4 W. 50 " "

79.00 To the post cor. of sec. 2, 3, 10 & 11

North Between Sec. 2 & 3 T. N. 7. N. R. N. 37.

19.50 To a W. Oak 36 in diam. stands on the line.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Sugar 15 in. diam. bears S 23 E. 5 lbs dist; & a  
Oak 18 " " " N 30 W. 10 " "

52.00 To a Brook 15 ft wide, Corner C.

84.11 Enter sec. the N. Boundary 192 links East of the post  
crossed sec. 34 & 35 T. N. 8. N. R. N. 37. at a Dogwood  
5 in. diam. which stands for the cor. of sec. 2 & 3.



I. N<sup>o</sup> 7. N.R. N<sup>o</sup> 377. 2<sup>nd</sup> (Mr. 1. Ind. 3)

Land rolling; East thin. Timber Oak, & Hick<sup>o</sup>

North Return Sec. 33 & 34 I. N<sup>o</sup> 7. N.R. N<sup>o</sup> 377.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Wick 8 in. dist. bears S 89 E. 20 miles dist; 15  
Do. 10 " " " S 47 N. 31 " "

80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which a  
W. Oak. 18 in. dist. bears S 38 N. 11 miles dist; 15  
" " 15 " " " N 9 E. 27 " "  
Land rolling; Timber Oak, & Hick<sup>o</sup>

East On a Rounder line between Sec. 27, & 34 I. N<sup>o</sup> 7. N.R. N<sup>o</sup> 377.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 Intersect the N. 88 line 10 miles South of the post cor. of  
Sec. 26, 27, 34 & 3.

Land soil made timber some as last mile.

West On a true line between Sec. 27, & 34 I. N<sup>o</sup> 7. N.R. N<sup>o</sup> 377.

40.00 Set the temporary post at the av. dist. in the true line  
for the cor. of 1/4 sec. from which a

Sugar. 10 in. dist. bears N 62 W. 10 miles dist; 15  
Do. 6 " " " S 46 E. 14 " "

80.00 To the post cor. of sec. 27, 28, 33, & 34.

North Return Sec. 27, & 28 I. N<sup>o</sup> 7. N.R. N<sup>o</sup> 377.

40.00 Set a post for the cor. cor. of 1/4 sec. from which a  
Yum 4 in. dist. bears N 53 W. 9 miles dist; 15  
Do. 10 " " " N 51 E. 20 " "

80.00 Set a post for the cor. of sec. 26, 27, & 28 from which  
a Ironwood 6 in. dist. bears N 9 W. 4 miles dist; 15  
Yum. 14 " " " S 2 E. 35 " "  
Land soil made timber some as last mile

T. N<sup>o</sup> 7 N.R. N. 3. W. 2<sup>nd</sup> Mer. (Sec. 9)

East On a Random line between Sec. 22 & 27 T. N<sup>o</sup> 7. N.R. 3 W.  
 40.00 Set a temp. post at the cor. of  $\frac{1}{4}$  sec.  
 80.27 Intersect the N & S line 58 miles South of the post cor.  
 of sec. 22, 23, 26, 27  
 Sand & soil & timber same as last mile.

West On the true line between Sec. 22 & 27 T. N<sup>o</sup> 7. N.R. 3 W.  
 40.13  $\frac{1}{2}$  Set the temp. post at the av. dish; on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which  
 Logwood 3 mi. dist. bears S 56 E. 14 li. dish; & a  
 Gum 10 " " " N 80 W. 3 " "  
 80.27 To the post cor. of sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22. T. N<sup>o</sup> 7. N.R. N. 3 W.  
 5.00 To a Brook 10 miles under Corner S. W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 W. Oak 12 mi. dist. bears S 54 W. 17 li. dish; & a  
 Ash 6 " " " N 54 E. 2 " "  
 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which  
 Logwood 4 mi. dist. bears N 44 E. 18 li. dish; & a  
 Hack 10 " " " S 62 W. 7 " "  
 Sand, hilly and Bushy Timber Oak & Hickory.

East On a Random line between Sec. 15 & 22 T. N<sup>o</sup> 7. N.R. 3 W.  
 40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  sec.  
 80.00 Intersect the N & S line 12 li. South of the post cor.  
 of sec. 14, 15, 22 & 23  
 Sand & soil and timber same as last mile.

West On the true line between Sec. 15 & 22 T. N<sup>o</sup> 7. N.R. N. 3 W.  
 40.00 Set the temp. post at the av. dish on the true line for  
 the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 24 mi. dist. bears S 39 E. 15 li. dish; & a

V. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. (Ind. <sup>th</sup>)

80.00 Buck 12 in diam: bears N 47 W. 8 miles dist;  
To the post cor. of sec. 15. 16. 21. & 22

North  
40.00 Return Sec 15 & 16. T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 W.  
Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak. 15 in. diam: bears S 62 W. 13 miles dist; & a  
Yum 8 " " S 80 W. 39 " "  
80.00 Set a post for the cor. of sec. 9. 10. 15 & 16 from which a  
Mulberry 4 in diam: bears N 68 E 10 miles dist; & a  
Sassafras 4 " " S 42 E. 16 " "  
Gravel soil and timber same as last mile.

East On a Random line between Sec 10. & 15. T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 W.  
40.00 Set a temp<sup>y</sup> post for the cor. of  $\frac{1}{4}$  sec.  
46.00 To a Brook 14 miles wide, Corner N. W.  
80.00 Entersect the N. & S. line 8 miles North of the post cor.  
of sec. 10. 11. 14 & 15.  
Gravel soil and timber same as last mile.

West On the true line between Sec 10. & 15. T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 W.  
40.00 Set the temp<sup>y</sup> post at the av. dist on the true line  
for the cor. of  $\frac{1}{4}$  sec. from which a  
W Oak. 18 in diam: bears N 32 W. 13 miles dist; & a  
B Oak. 20 " " N 85 E. 13 " "  
80.00 To the post cor. of sec. 9. 10. 15 & 16.

North Return Sec 9. & 10 T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 W.  
25.00 To a Brook 15 miles wide, Corner West.  
40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
Buck 16 in diam: bears N 75 E. 12 miles dist; & a  
Do. 10 " " N 78 W. 30 " "  
80.00 Set a post cor. of sec. 3. 4. 9 & 10 from which a  
Buck 15 in diam: bears N 8 W. 9 miles dist; and a



I. No. 7. N. R. No. 37. 2<sup>nd</sup> Mer. (Ind. <sup>a</sup>),

Beck. 5 mi. dist. bears S 46° W. 28 miles dist;  
 Sand & timber same as last mile

East On a Remden line between Sec. 3 & 10 I. No. 7. N. R. No. 37.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 41.00 To a Brook 10 miles wide, Crossed —  
 80.00 Enter sec. the N. & S. line 20<sup>th</sup> South of the post cor. of  
 Sec. 2, 3, 10 & 11. Same as same

West On the true line between Sec. 3 & 10 I. No. 7. N. R. No. 37.  
 40.00 Set the temporary post at the corner dist; on the true line for  
 the cor. to  $\frac{1}{4}$  sec. from which  
 Walnut 12 mi. dist. bears N 77° E. 8 miles dist; & a  
 Ash 4 " " " S 83° W. 41 " "  
 80.00 To the post cor. of sec. 3, 4, 9 & 10.

North Between Sec. 3 & 4 I. No. 7. N. R. No. 37.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Beck. 15 mi. dist. bears S 22° E. 23 miles dist; & a  
 Elm. 15 " " " N 59° W. 19 " "  
 84.61 Enter sec. the N & S line 308 miles East of the post cor.  
 of sec. 33 & 34 I. No. 8. N. R. No. 37. at a Beck 10 mi  
 dist. which stands for the cor. of sec. 3 & 4  
 Sand soil and timber same as last mile.

North Between Sec. 32 & 33. I. No. 7. N. R. No. 37.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 B. Oak 12 mi. dist. bears S 41° W. 12 miles dist; and a  
 Dogwood 4 " " " S 34° E. 20 " "  
 80.00 Set a post for the cor. of sec. 28, 29, 32 & 33 from which  
 Sugar 15 mi. dist. bears N 64° E. — like dist; & a  
 Ironwood 5 " " " West 12 " "  
 Sand & rolling; with them; Timber Oak & Hickory.

T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. (Sud<sup>e</sup>.)

East On a Random line between Sec. 28 & 33. T. N<sup>o</sup> 7 N.R. 37.  
 40.00 Set a temporary post for the cor. of the  $\frac{1}{4}$  sec.  
 80.00 Intersect the N & S line 18 miles South of the post cor. of  
 Sec. 27, 28, 33, & 34  
 Sand soil and timber same as last mile.

West On the true line between Sec. 28 & 33. T. N<sup>o</sup> 7 N.R. 37.  
 40.00 Set the temporary post at the av. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which  
 W. Oak. 6 mi. dist. bears S 81 E. 17 miles dist; 19  
 Sassafras 6 " " S 60 W. 16 "  
 80.00 Set the post cor. of Sec. 28, 29, 32, & 33.

North Between Sec. 28 & 29 T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 37.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Beech 18 mi. dist. bears S 67 W. 27 miles dist; and 20  
 Dogwood 44 " " S 56 W. 10 "  
 80.00 Set a post for the cor. of Sec. 20, 21, 28 & 29 from which  
 a Hick 78 mi. dist. bears N 68 E. 17 miles dist; 19  
 Q. 184 " " S 21 E. 9 " "  
 Sand soil and timber same as last mile.

East On a Random line between Sec. 21 & 28 T. N<sup>o</sup> 7 N.R. 37.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 80.00 Intersect the N & S line 10 miles South of post cor. of  
 Sec. 21, 22, 27, & 28  
 Sand soil and timber same as last mile

West On the true line between Sec. 21 & 28 T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 37.  
 40.00 Set the temporary post at the av. dist. on the true line for  
 the cor. of the  $\frac{1}{4}$  sec. from which  
 Beech 10 mi. dist. bears N 82 E. 12 miles dist; 19  
 Sassafras 3 " " " S 4 E 11 " "

T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 (N. 2<sup>nd</sup> Mer. (Ind.))

80.00 To the post corner of sec. 20. 21. 28. & 29.

North Return Sec. 20. & 21. T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 N.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Dogwoods 6 in. dist. bears S 87<sup>o</sup> W. 39 in. dist; & a  
 W Oak. 12 " " " S 60 E. 22 " "

70.00 To a Brook 12 units wide, comes N. W.

80.00 Set a post for the cor. of sec. 16. 17. 20. & 21 from which  
 Poplar 8 in. dist. bears N 76 E. 8 units dist; and so  
 Sallee 8 " " " S 21 W. 12 " "  
 Sand soil and timber same as last mile.

East On a Random line between Sec. 16 & 21 T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 N.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.

79.84 Enter Sec. the N & S line at the post cor. of sec. 15, 16.  
 21. & 22, Sand soil and timber same as last mile.

West On the true line between Sec. 16 & 21 T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 N.

39.92 Set the temporary post at the acc. dist. on the true line for  
 the cor. to the  $\frac{1}{4}$  sec. from which

W Oak. 12 in. dist. bears N 16<sup>o</sup> W. 5 in. dist; & a

Dogwoods 2 " " " S 16<sup>o</sup> W. 13 " "

79.84 To the post cor. of sec. 16. 17. 20. & 21.

North Return Sec. 16 & 17 T. N<sup>o</sup> 7. N. R. N<sup>o</sup> 3 N.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which

Dogwoods 5 in. dist. bears N 40 E. 9 in. dist; & a

White 15 " " " N 81 W. 17 " "

80.00 Set a post for the cor. of sec. 8. 9. 16 & 17 from which  
 an Oak 10 in. dist. bears N 33 E. 9 in. dist; & a

W. 7 " " " S 42 E. 23 " "

Sand soil and timber same as last mile.

377

T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Sec<sup>o</sup>

East On a Random line between Sec 9 & 16 T. N<sup>o</sup> 7. N.R. 37.  
 1.00 To a Spring, comes North.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  Sec.  
 80.00 Enter set the N & S line 20 miles South of the post cor.  
 of Sec. 9. 10. 15 & 16.  
 Same soil and timber same as last mile.

West On the true line between Sec. 9 & 16 T. N<sup>o</sup> 7. N.R. 37.  
 40.00 Set the temporary post at the aver. dist on the true line  
 for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Maple 7 in dia. bears N 46 E. 5<sup>th</sup> dist, 12  
 N. Oak 10<sup>th</sup> " " S 37 E. 12 " "  
 80.00 To the post set for the cor. of Sec. 8. 9. 16 & 17.

North Between Sec. 8 & 9 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 37.  
 15.00 To a Spring Comes East.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Sugar. 8 in dia. bears S 47 E. 3 links dist, 12  
 Log on 3<sup>rd</sup> " " S. 55 N. 7 " "  
 57.00 To a Brook 50 links wide, Comes N.  
 80.00 Set a post for the cor. of Sec. 4. 5. 8 & 9 from which a  
 Ash 15 in. dia. bears S 74 E. 11 links dist, 12  
 Hick 18 " " N 67 N. 12 " "  
 Same soil and timber same as last mile.

East On a Random line between Sec. 4 & 9 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 37.  
 40.00 Set a post (temporary) for the cor. to the  $\frac{1}{4}$  Sec.  
 80.00 Enter set the N & S line 14 miles South of the post cor.  
 of Sec. 3. 4. 9 & 10.  
 Same soil and timber same as last mile.

West On the true line between Sec. 4 & 9 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 37.  
 40.00 Set the temporary post at the aver. dist on the true line



Q. No. 7. N.R. No. 3. W. grade Mrs. (See)

for the cor. of 1/4 sec. from which a

Beck. 20 in. dia. bears S 20 N. 20 W. 20 mi. dist; & a

No. 18 " " " N 46 E. 30 " "

80.00 To the post on of sec. 4, 5, 8, & 9.

North Return Sec. 4 & 5 T. No. 7. N.R. No. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a

Beck. 20 in. dia. bears S 27 N. 24 mi. dist; & a

No. 20 " " " N 12 E. 23 " "

85.54 Intersect the N. Boundary 3.74 mi. East of the post set for the cor. of sec. 32 & 33 T. No. 8. N.R. No.

3 W. and set a post for the cor. of sec. 4 & 5 from which

Auger 15 in. dia. bears South 11 mi. dist; & a

Beck. 4 " " " N 84 W. 5 " "

Quadrant same as the last one.

North Return Sec. 31 & 32 T. No. 7. N.R. No. 3 W.

4.00 To a Brook 20 mi. wide, Corner S. W.

40.00 Set a post for the cor. of 1/4 sec. from which

Beck. 10 in. dia. bears S 37 N. 4 mi. dist; & a

Ash. 8 " " " S 20 E. 26 " "

80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which

Auger 12 in. dia. bears N 54 E. 13 mi. dist; & a

S. Oak 12 " " " S 36 W. 45 " "

San de hill; Timber same as last one.

East On a Random line between Sec. 29 & 32 T. No. 7. N.R. No. 3 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.56 Intersect the N. & S. line at the post cor. of sec. 28, 29, 32 & 33. Quadrant and timber same.

West On the true line between Sec. 29 & 32 T. No. 7. N.R. No. 3 W.

40.28 Set the temporary post at the corner with the true line for the

S. N. 7. N. R. N. 3 W. 2nd. (Mm. Sec. 2)

379

cor. of  $\frac{1}{4}$  sec. from which a  
 Log road 8 mi. dist. bears S 4 E. 7 links dist; 1 a  
 Hickory 8 " " " S 4 W. 32 " "  
 80.56 To the post cor. of sec. 29. 30. 31. & 32.

North Between Sec. 29 & 30 S. N. 7. N. R. N. 3 W.  
 5.00 To a Brook 15 links wide, Corner N. W. 4  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Hickory 20 mi. dist. bears North 106 lbs dist;  
 80.00 To a W. Oak. 18 mi. dist. which stands for the cor. of  
 Sec. 19. 20. 29. & 30  
 Same post and timber same as last mile.

East On a Random line between Sec. 20 & 29 S. N. 7. N. R. N. 3 W.  
 40.00 Set a temporary post at the cor. of  $\frac{1}{4}$  sec.  
 80.20 Intersect the N. S. line at the post cor. of sec. 20. 21. 28.  
 & 29. Same post and timber same as last mile.

West On the true line between Sec. 20 & 29 S. N. 7. N. R. N. 3 W.  
 40.10 Set the temporary post at the cor. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a  
 Log road 6 mi. dist. bears N 71 W. 7 lbs dist; 1 a  
 W. Oak. 24 " " " N 86 E. 29 " "  
 80.20 To the post cor. of sec. 19. 20. 29 & 30

North Between Sec. 19 & 20 S. N. 7. N. R. N. 3 W.  
 25.00 To a Brook 12 links wide, Corner S. W.  
 40.00 To a Log road 4 mi. dist. stands for the cor. of  $\frac{1}{4}$  sec.  
 80.00 Set a post for the cor. of sec. 17. 18. 19 & 20 from which a  
 Poplar 20 mi. dist. bears N 8 E. 8 links dist; 1 a  
 Hickory 10 " " " S 13 E. 17 " "  
 Same post and timber same as last mile.

T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Sec. 2

|       |  |
|-------|--|
| East  | On a Random line between Sec. 17. & 20 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 37.  |
| 40.00 | Set a temporary post at the cor. of $\frac{1}{4}$ sec.   |
| 80.00 | Intersect the N & S line 18 miles South of the post cor. of sec. 16. 17. 20 & 21.<br>Lands soil and timber same as last mile.  |
| West  | On the true line between Sec. 17. & 21 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 37.  |
| 40.00 | Set the temporary post at the aver. dist. on the true line for the cor. of $\frac{1}{4}$ sec. from which a<br>W. Oak. 24 in. diam. bears N 57 <sup>W</sup> . 14 miles dist; & a<br>W. Beech. 10 " " " S 30 E. 30 " " |
| 80.00 | To the post cor. of sec. 17. 18. 19 & 20.  |
| North | Between Sec. 17. & 18 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 37.   |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ sec. from which a<br>Hick. 12 in. diam. bears N 54 E. 11 miles dist; & a<br>W. Oak. 18 " " " S 17 E. 22 " "   |
| 80.00 | Set a post for the cor. of sec. 7. 8. 17. & 18 from which a<br>Hogwood 5 in. diam. bears S 3 E. 23. the dist; & a<br>Hick. 10 " " " N 23 <sup>W</sup> . 23. " "<br>Lands soil and timber same as last mile.          |
| East  | On a Random line between Sec. 8. & 17 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 37.   |
| 40.00 | Set a temporary post for the cor. of $\frac{1}{4}$ sec.  |
| 80.00 | Intersect the N & S line at the post cor. of sec. 8. & 9. 16 & 17<br>Lands soil and timber same as last mile.  |
| West  | On the true line between Sec. 8. & 17 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 37.   |
| 40.00 | Set the temporary post at the aver. dist. on the true line for the cor. of $\frac{1}{4}$ sec. from which a<br>Hogwood 4 in. diam. bears N. 12 <sup>W</sup> . 13 the dist; & a<br>Oak 6 " " " S 4 E. 12 " "           |
| 80.00 | To the post cor. of sec. 7. 8. 17. & 18.   |

T. N. 7. N. R. N. 37. 2<sup>nd</sup> Mer. (Sud. a)

|       |   |
|-------|---|
| North | Return Sec 7 & 8 T. N. 7. N. R. N. 37.  |
| 40.00 | Set a post for the cor. off Sec. 7 from which a<br>W Oak. 20 in. diam. bears N 20 W. 90 links due; S a  |
| 75.00 | To a Birch 15 links north, Corner West.   |
| 80.00 | Set a post for the cor. off Sec. 5, 6, 7 & 8 from which an<br>S. 5 in. diam. bears N 19 E. 20 links due; S a<br>Oak 4 " " " S 36 W. 7 " "<br>Sands soil & timber same as the last mile  |
| East  | On a Random line between Sec. 5 & 8. T. N. 7. N. R. N. 37.  |
| 40.00 | Set a timber post at the cor. of 14 sec.  |
| 80.00 | Intersect the N. 8 line 12 links South of the post cor. of<br>Sec. 4, 5, 8 & 9<br>Sands soil and timber same as the last mile.  |
| West  | On a true line between Sec. 5 & 8. T. N. 7. N. R. N. 37.  |
| 40.00 | Set the timber post at the avor. diam. on the true line<br>for the cor. of 14 sec. from which a<br>Birch. 12 in. diam. bears N 37 W. 21 links due; S a<br>Poplar. 20 " " " S 80 E. 9 " "  |
| 80.00 | To the post cor. of Sec. 5, 6, 7 & 8.   |
| North | Return Sec. 5 & 6 T. N. 7. N. R. N. 37.   |
| 36.00 | To a Poplar. 40 in. diam. stands on the line.   |
| 40.00 | To a Sugar. 12 in. diam. which stands for the cor. to the 14 sec  |
| 85.23 | Intersect the N. Boundary 373 links East of the post<br>cor. of Sec. 31 & 32. T. N. 8. N. R. N. 37. & set a<br>post for the cor. off Sec. 5 & 6. from which a<br>Birch. 5 in. diam. bears S 8 E. 29 links due; S a<br>Poplar. 30 " " " N 20 W. 23 " "<br>Sands soil and timber same as last mile. |
| West  | Return Sec. 6 & 7 T. N. 7. N. R. N. 37.   |



T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3. W. 2<sup>nd</sup> Mer (Sud.)

- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck 14 in. dia: bears S 41 E. 12 lbs. dist; tag  
 Co. 5 " " N 60 W. 8 " "
- 85.16 Intersect the West Boundary (7 ch! South of the post  
 cor. of sec. 10 & 12. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W.) and set a  
 post for the cor. of sec. 10 & 12 from which  
 Sugar 5 in. dia: bears N 18 W. 6 lbs. dist; tag  
 Co. 6 " " S 27 W. 18 " "  
 Sand soil and timber same as last mile.

- West Return Sec. 7 & 18 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.
- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 20 in. dia: bears S 37 E. 22 lbs. dist; tag  
 " " 24 " " " N 67 W. 50 " "
- 84.96 Intersect the West Boundary 340 miles South of the  
 post cor. of sec. 12 & 13. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W. & set a  
 post for the cor. of sec. 7 & 18 from which  
 Hick 7 10 in. dia: bears N 43 E. 24 lbs. dist; tag  
 Log 10 " " " S 72 E. 22 " "  
 Sand soil and timber same as last mile.

- West Return Sec. 18 & 19 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.
- 40.00 To an Ash. 4 in. dia: which stands for the cor. to  $\frac{1}{4}$  sec.
- 83.80 Intersect the West Boundary 272 miles South of the  
 post cor. of sec. 13 & 24. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 4 W. & set a  
 post for the cor. of sec. 18 & 19 from which  
 Log wood 5 in. dia: bears N 14 W. 6 lbs. dist; tag  
 Co. 5 " " " S 36 W. 8 " "  
 Sand soil and timber same as last mile.

- West Return Sec. 19 & 30 T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.
- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak 8 in. dia: bears S 10 E. 9 lbs. dist; tag

T. No. 7. N.R. No. 3. W. 2nd Mer. Sec.:

83.30 W. Oak 10 mi. dist. bears N 50 W. 17 lks. dist;  
 Enter at the West Boundary 4.34 miles South of the  
 Post cor. of Sec. 24 & 25. T. No. 7. N.R. No. 4. W. 1st  
 a post for the cor. of Sec. 19 & 30 from which a  
 Hick 7 1/2 mi. dist. bears N 77 E. 13 lks. dist; ray  
 Hogenous T. " " S 15 W. 18 " "  
 Sand. Chilly; Timber same as last mile

West Between Sec. 30 & 31 T. No. 7. N.R. No. 3 W.  
 16.00 To a Brook 10 miles wide, Corner S.  
 40.00 Set a post for the cor. of 14 sec. from which a  
 W. Oak. 12 mi. dist. bears S 77 W. 20 lks. dist; ray  
 W. 8 " " " N 7 E. 27 " "  
 84.00 Enter at the West Boundary, 188 miles South of  
 the Post cor. of Sec. 25 & 36. T. No. 7. N.R. No. 4 W. 1st  
 a post for the cor. of Sec. 20 & 31 from which a  
 W. Oak. 20 mi. dist. bears S 68 E. 18 lks. dist; ray  
 W. 8 " " " S 4 W. 22 " "  
 Sand. soil and timber same as last mile.

Surveyed by  
 Arthur Henric L.S.

I certify that the foregoing transcript of the field  
 notes of Township No. 7. N.R. No. 3 W. 2nd  
 Mer. in Indiana has been compared with the  
 Original notes in this Office and found to be  
 correct.

Surveyor General Office,  
 Cincinnati, Dec. 15. 1840

*E. S. Rains*  
 Sur. Genl.